



Table de conversion : Pouces / Millimètre

Convert inch / millimeter | Umrechnung Zoll/inch / Millimeter

Pouces Zoll/Inch Inches	valeur décimale Zoll/Inch decimal	métrique mm metric system
1/64"	0,016"	0,397 mm
1/32"	0,031"	0,794 mm
1/16"	0,063"	1,587 mm
1/8"	0,125"	3,175 mm
1/4"	0,250"	6,350 mm
3/8"	0,375"	9,525 mm
1/2"	0,500"	12,700 mm
5/8"	0,625"	15,875 mm
3/4"	0,750"	19,050 mm
7/8"	0,875"	22,225 mm
1"	1,000"	25,400 mm
1 1/4"	1,250"	31,750 mm
1 1/2"	1,500"	38,100 mm
1 3/4"	1,750"	44,450 mm
2"	2,000"	50,800 mm
2 1/4"	2,250"	57,150 mm
Zoll = Zentimeter / 2,54		

Pouces Zoll/Inch Inches	valeur décimale Zoll/Inch decimal	métrique mm metric system
2 1/2"	2,500"	63,500 mm
2 3/4"	2,750"	69,850 mm
3"	3,000"	76,200 mm
3 1/4"	3,250"	82,550 mm
3 1/2"	3,500"	88,900 mm
3 3/4"	3,750"	95,250 mm
4"	4,000"	101,600 mm
4 1/4"	4,250"	107,950 mm
4 1/2"	4,500"	114,300 mm
4 3/4"	4,750"	120,650 mm
5"	5,000"	127,000 mm
6"	6,000"	152,400 mm
7"	7,000"	177,800 mm
8"	8,000"	203,200 mm
9"	9,000"	228,600 mm
10"	10,000"	254,000 mm
Zentimeter = Zoll * 2,54		

Filetage UNF (USA)

Unified National Fine

Filetage 60°	diamètre extérieur pouces	diamètre extérieur mm	Nb. de filets par pouce	Pas en mm
1/4" - 28 UNF	0,250	6,350	28	0,907
5/16" - 24 UNF	0,313	7,938	24	1,058
3/8" - 24 UNF	0,375	9,525	24	1,058
7/16" - 20 UNF	0,438	11,112	20	1,270
1/2" - 20 UNF	0,500	12,700	20	1,270
9/16" - 18 UNF	0,563	14,288	18	1,411
5/8" - 18 UNF	0,625	15,875	18	1,411
3/4" - 16 UNF	0,750	19,050	16	1,587



Convert inch / millimeter

Table de conversion : Pouces / Millimètre | Umrechnung Zoll/inch / Millimeter

Zoll/Inch Pouces Inches	Zoll/Inch valeur décimale decimal	mm métrique metric system
1/64"	0,016"	0,397 mm
1/32"	0,031"	0,794 mm
1/16"	0,063"	1,587 mm
1/8"	0,125"	3,175 mm
1/4"	0,250"	6,350 mm
3/8"	0,375"	9,525 mm
1/2"	0,500"	12,700 mm
5/8"	0,625"	15,875 mm
3/4"	0,750"	19,050 mm
7/8"	0,875"	22,225 mm
1"	1,000"	25,400 mm
1 1/4"	1,250"	31,750 mm
1 1/2"	1,500"	38,100 mm
1 3/4"	1,750"	44,450 mm
2"	2,000"	50,800 mm
2 1/4"	2,250"	57,150 mm
Zoll = Zentimeter / 2,54		

Zoll/Inch Pouces Inches	Zoll/Inch valeur décimale decimal	mm métrique metric system
2 1/2"	2,500"	63,500 mm
2 3/4"	2,750"	69,850 mm
3"	3,000"	76,200 mm
3 1/4"	3,250"	82,550 mm
3 1/2"	3,500"	88,900 mm
3 3/4"	3,750"	95,250 mm
4"	4,000"	101,600 mm
4 1/4"	4,250"	107,950 mm
4 1/2"	4,500"	114,300 mm
4 3/4"	4,750"	120,650 mm
5"	5,000"	127,000 mm
6"	6,000"	152,400 mm
7"	7,000"	177,800 mm
8"	8,000"	203,200 mm
9"	9,000"	228,600 mm
10"	10,000"	254,000 mm
Zentimeter = Zoll * 2,54		

UNF-Thread (USA) Unified National Fine

thread designation	Outside diameter in inches	Outside diameter in mm	aisles in inches	slope in mm
1/4" - 28 UNF	0,250	6,350	28	0,907
5/16" - 24 UNF	0,313	7,938	24	1,058
3/8" - 24 UNF	0,375	9,525	24	1,058
7/16" - 20 UNF	0,438	11,112	20	1,270
1/2" - 20 UNF	0,500	12,700	20	1,270
9/16" - 18 UNF	0,563	14,288	18	1,411
5/8" - 18 UNF	0,625	15,875	18	1,411
3/4" - 16 UNF	0,750	19,050	16	1,587



Umrechnung Zoll/inch / Millimeter

Table de conversion : Pouces / Millimètre - Convert inch / millimeter

Zoll/Inch Bruchwert Pouces Inches	Zoll/Inch Dezimalwert valeur décimale decimal	mm Metrisch métrique metric system
1/64"	0,016"	0,397 mm
1/32"	0,031"	0,794 mm
1/16"	0,063"	1,587 mm
1/8"	0,125"	3,175 mm
1/4"	0,250"	6,350 mm
3/8"	0,375"	9,525 mm
1/2"	0,500"	12,700 mm
5/8"	0,625"	15,875 mm
3/4"	0,750"	19,050 mm
7/8"	0,875"	22,225 mm
1"	1,000"	25,400 mm
1 1/4"	1,250"	31,750 mm
1 1/2"	1,500"	38,100 mm
1 3/4"	1,750"	44,450 mm
2"	2,000"	50,800 mm
2 1/4"	2,250"	57,150 mm
Zoll = Zentimeter / 2,54		

Zoll/Inch Bruchwert Pouces Inches	Zoll/Inch Dezimalwert valeur décimale decimal	mm Metrisch métrique metric system
2 1/2"	2,500"	63,500 mm
2 3/4"	2,750"	69,850 mm
3"	3,000"	76,200 mm
3 1/4"	3,250"	82,550 mm
3 1/2"	3,500"	88,900 mm
3 3/4"	3,750"	95,250 mm
4"	4,000"	101,600 mm
4 1/4"	4,250"	107,950 mm
4 1/2"	4,500"	114,300 mm
4 3/4"	4,750"	120,650 mm
5"	5,000"	127,000 mm
6"	6,000"	152,400 mm
7"	7,000"	177,800 mm
8"	8,000"	203,200 mm
9"	9,000"	228,600 mm
10"	10,000"	254,000 mm
Zentimeter = Zoll * 2,54		

UNF-Gewinde (USA)

Unified National Fine

Gewinde- bezeichnung	Außendurch- messer in Zoll	Außendurch- messer in mm	Gänge pro Zoll	Steigung in mm
1/4" - 28 UNF	0,250	6,350	28	0,907
5/16" - 24 UNF	0,313	7,938	24	1,058
3/8" - 24 UNF	0,375	9,525	24	1,058
7/16" - 20 UNF	0,438	11,112	20	1,270
1/2" - 20 UNF	0,500	12,700	20	1,270
9/16" - 18 UNF	0,563	14,288	18	1,411
5/8" - 18 UNF	0,625	15,875	18	1,411
3/4" - 16 UNF	0,750	19,050	16	1,587